

Author Index / Index des auteurs

- Al-Khafaji, A.W.N., see Andersland, O.B., 748.
- Andersland, O.B., and Al-Khafaji, A.W.N. Laboratory testing and *in situ* behaviour of peat as embankment foundation: Discussion, 748.
- Anderson, D.L., see Byrne, P.M., 720.
- Baker, R., see Talesnick, M., 713.
- Ballivy, G., see Locat, J., 530.
- Barsvary, A.K., see Rowe, R.K., 289.
- Bassim, M.N., see Klepaczko, J.R., 203.
- Britto, A.M., and Kusakabe, O. On the stability of supported excavations, 338.
- Bromhead, E.N. An analytical solution to the problem of seepage into counterfort drains, 657.
- Budhu, M. Nonuniformities imposed by simple shear apparatus, 125.
- Butterfield, R., see Douglas, R.A., 587.
- Byrne, P.M., Anderson, D.L., and Janzen, W. Response of piles and casings to horizontal free-field soil displacements, 720.
- Caldwell, J.A., Smith, A., and Wagner, J. Heave of coal shale fill, 379.
- Campanella, R.G., Robertson, P.K., Gillespie, D., and Klohn, E.J. Piezometer - friction cone investigation at a tailings dam, 551.
- Carey, E.I., see Garga, V.K., 621.
- Chagnon, J.Y. The Roger J. E. Brown memorial volume—Proceedings of the Fourth Canadian Permafrost Conference, 198.
- Chapuis, R.P. New stability method for embankments on clay foundations: Reply, 195.
- Chapuis, R.P., Paré, J.-J., and Loisel, A.A. Laboratory test results on self-hardening grouts for flexible cutoffs, 185.
- Charles, J.A., and Soares, M.M. The stability of slopes in soils with nonlinear failure envelopes, 397.
- Cherry, J.A., see Palmer, C.D., 475.
- Cheung, S.C.H., see Lopez, R.S., 593.
- Corkal, D.W., see Shields, D.H., 371.
- Couperthwaite, S.L. Geotechnical aspects of pipeline construction in Alberta: Discussion, 732.
- Crawford, T.W., see Mitchell, R.J., 116.
- Crooks, V.E., and Quigley, R.M. Saline leachate migration through clay: a comparative laboratory and field investigation, 349.
- Cruden, D.M. Landslides and their stabilization, 387.
- Cruden, D.M. More rapid analysis of rock slopes, 678.
- De Kimpe, C.R. Effect of air-drying and critical point drying on the porosity of clay soils, 181.
- Delage, P., and Lefebvre, G. Study of the structure of a sensitive Champlain clay and of its evolution during consolidation, 21.
- Dixon, D.A., see Lopez, R.S., 593.
- Domaschuk, L., see Shields, D.H., 371.
- Douglas, R.A., and Butterfield, R. Pile group elastic load response prediction: friction piles embedded in cohesive soils, 587.
- Dytynshyn, D.J., see Gillham, R.W., 541.
- Eide, O., Lacasse, S., Kjærnsli, B., and Hafskjold, P.S. Unconventional concepts for dykes and dams on soft clay foundation, 581.
- Elmonayeri, D., see Yong, R.N., 644.
- Fellenius, B.H., and Meyerhof, G.G. Deep foundation design in the new Ontario Highway Bridge Design Code: Reply, 599.
- Fredlund, D.G., see Papagianakis, A.T., 419.
- Fredlund, D.G., see Rahardjo, H., 166.
- Gale, J.E., see Nadon, R.L., 60.
- Gale, J.E., and Reardon, E.J. Effects of groundwater chemistry on the permeability of grouted fractures, 8.
- Garga, V.K., Carey, E.I., and Milne, R.W. The Cathedral Square substation anchored excavation, Vancouver, British Columbia, 621.
- Gillespie, D., see Campanella, R.G., 551.

- Gillham, R.W., Robin, M.J.L., Dytnynshyn, D.J., and Johnston, H.M. Diffusion of nonreactive and reactive solutes through fine-grained barrier materials, 541.
- Graham, J., and Raymond, G.P. Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum: Discussion, 384.
- Graham, J., and Teller, J.T. Leda clay from deep boreholes at Hawkesbury, Ontario. Part I: Geology and geotechnique: Discussion, 733.
- Graham, J., Noonan, M.L., and Lew, K.V. Yield states and stress-strain relationships in a natural plastic clay: Reply, 598.
- Griffiths, D.V. A chart for estimating the average vertical stress increase in an elastic foundation below a uniformly loaded rectangular area, 710.
- Hafskjold, P.S., see Eide, O., 581.
- Hansen, S.B., see McClung, D.M., 250.
- Harris, M.C., and Savigny, K.W. Geotechnical aspects of pipeline construction in Alberta: Discussion, 196.
- Harron, G., see Sharma, H.D., 684.
- Hassouna, M.E., see Shenouda, W.K., 735.
- Hawley, P.M., see Martin, D.C., 505.
- Hawson, H., see Shenouda, W.K., 735.
- Hou, S. Expansive-shrinkable soils in China, 375.
- Hsu, T.R., see Klepaczo, J.R., 203.
- Hunger, O., Morgan, G.C., and Kellerhals, R. Quantitative analysis of debris torrent hazards for design of remedial measures, 663.
- Hutchinson, J.N. An influence line approach to the stabilization of slopes by cuts and fills, 363.
- Janzen, W., see Byrne, P.M., 720.
- Jean, P., see Tavenas, F., 731.
- Johnston, H.M., see Gillham, R.W., 541.
- Juárez-Badillo, E. The permeability of natural soft clays. Part II. Permeability characteristics: Discussion, 730.
- Kaiser, P.K., see Martin, C.D., 605.
- Kay, B.D., see Zearth, B.J., 449.
- Keira, H.M.S., see Paré, J.J., 213.
- Kellerhals, R., see Hunger, O., 663.
- Kennedy, J.B., see Laba, J.T., 407.
- Kenney, T.C., see Lau, K.C., 241.
- Kenney, T.C., and Lau, K.C. Temporal changes of groundwater pressure in a natural slope of nonfissured clay, 138.
- Kenney, T.C., Lau, D., and Ofoegbu, G.I. Permeability of compacted granular materials, 726.
- Kjaernsli, B., see Eide, O., 581.
- Klepaczko, J.R., Hsu, T.R., and Bassim, M.N. Elastic and pseudoviscous properties of coal under quasi-static and impact loadings, 203.
- Klohn, E.J., see Campanella, R.G., 551.
- Konrad, J.-M., and Morgenstern, N.R. Frost heave prediction of chilled pipelines buried in unfrozen soils, 100.
- Koppula, S.D. On stability of slopes in clays with linearly increasing strength, 577.
- Koppula, S.D., and Morgenstern, N.R. Deficient pore pressures in an eroding soil mass, 277.
- Kusakabe, O., see Britto, A.M., 338.
- Laba, J.T., Kennedy, J.B., and Seymour, P.H. Reinforced earth retaining wall under vertical and horizontal strip loading, 407.
- Lacasse, S., see Eide, O., 581.
- Lafleur, J. Filter testing of broadly graded cohesionless tills, 634.
- Langlois, P., see Lefebvre, G., 322.
- Larsen, J.O., see McClung, D.M., 250.
- Larsson, R., see Sällfors, G.B., 597.
- Lau, D., see Kenney, T.C., 726.
- Lau, K.C., see Kenney, T.C., 138.
- Lau, K.C., and Kenney, T.C. Horizontal drains to stabilize clay slopes, 241.
- Lavallée, J.-G., see Lefebvre, G., 322.
- Leblond, P., see Tavenas, F., 731.
- Lee, D., see Zearth, B.J., 449.
- Lefebvre, G., see Delage, P., 21.
- Lefebvre, G., see Locat, J., 530.

- Lefebvre, G., Langlois, P., Lupien, C., and Lavallée, J.-G.** Laboratory testing and *in situ* behaviour of peat as embankment foundation. 322.
- Legget, R.F.** Soil survey for engineering. 199.
- Legget, R.F.** Engineering geology of southern Africa, Volume II (Rocks of 2,000 to 300 million years in age). 200.
- Lem, G.,** see Nixon, J.F., 518.
- Leroueil, S.,** see Tavenas, F., 731.
- Lew, K.V.,** see Graham, J., 598.
- Lo, K.Y., and Lukajic, B.** Predicted and measured stresses and displacements around the Darlington Intake Tunnel. 147.
- Locat, J., Lefebvre, G., and Ballivy, G.** Mineralogy, chemistry, and physical properties interrelationships of some sensitive clays from Eastern Canada. 530.
- Loiselle, A.A.,** see Chapuis, R.P., 185.
- Loiselle, A.A.,** see Paré, J.-J., 75.
- Lopez, R.S., Cheung, S.C.H., and Dixon, D.A.** The Canadian program for sealing underground nuclear fuel waste vaults. 593.
- Lukajic, B.,** see Lo, K.Y., 147.
- Lupien, C.,** see Lefebvre, G., 322.
- MacLean, M.D.,** see Rowe, R.K., 289.
- MacLean, M.D.,** see Rowe, R.K., 563.
- Madsen, J.D.,** see Mitchell, R.J., 116.
- Martin, C.D., and Kaiser, P.K.** Analysis of a rock slope with internal dilation. 605.
- Martin, D.C., Piteau, D.R., Pearce, R.A., and Hawley, P.M.** Remedial measures for debris flows at the Agassiz Mountain Institution, British Columbia. 505.
- Matyas, E.L., Welch, D.E., and Reades, D.W.** Geotechnical parameters and behaviour of uranium tailings. 489.
- McClung, D.M.** Empirical corrections to snow creep pressure equations. 191.
- McClung, D.M., Larsen, J.O., and Hansen, S.B.** Comparison of snow pressure measurements and theoretical predictions. 250.
- McConnell, A.D.,** see Paré, J.J., 213.
- McCutcheon, J.R.,** see Shields, D.H., 371.
- McDonald, L.M., and Raymond, G.P.** Repetitive load testing: reversal or rotation. 456.
- Mesri, G.** New stability method for embankments on clay foundations: Discussion. 194.
- Meyerhof, G.G.** Safety factors and limit states analysis in geotechnical engineering. 1.
- Meyerhof, G.G.,** see Fellenius, B.H., 599.
- Meyerhof, G.G., and Yalcin, A.S.** Pile capacity for eccentric inclined load in clay. 389.
- Milne, R.W.,** see Garga, V.K., 621.
- Mitchell, R.J., and Romeril, P.M.** Acoustic emission distress monitoring in sensitive clay. 176.
- Mitchell, R.J., Madsen, J.D., and Crawford, T.W.** Hydraulic stabilization of earth structures. 116.
- Morgan, G.C.,** see Hung, O., 663.
- Morgenstern, N.R.,** see Konrad, J.-M., 100.
- Morgenstern, N.R.,** see Koppula, S.D., 277.
- Morgenstern, N.R.,** see Sobkowicz, J.C., 439.
- Nadon, R.L., and Gale, J.E.** Impact of groundwater on mining and underground space development in the Niagara Escarpment area. 60.
- Nixon, J.F.** Laterally loaded piles in permafrost. 431.
- Nixon, J.F., and Lem, G.** Creep and strength testing of frozen saline fine-grained soils. 518.
- Noonan, M.L.,** see Graham, J., 598.
- Ofoegbu, G.I.,** see Kenney, T.C., 726.
- Palmer, C.D., and Cherry, J.A.** Geochemical reactions associated with low-temperature thermal energy storage in aquifers. 475.
- Papagianakis, A.T., and Fredlund, D.G.** A steady state model for flow in saturated - unsaturated soils. 419.
- Paré, J.-J.,** see Chapuis, R.P., 185.
- Paré, J.-J., Verma, N.S., Loiselle, A.A., and Pinzariu, S.** Seepage through till foundations of dams of the Eastmain - Opinaca - La Grande diversion. 75.
- Paré, J.J., Verma, N.S., Keira, H.M.S., and McConnell, A.D.** Stress-deformation predictions for the LG 4 main dam. 213.
- Pearce, R.A.,** see Martin, D.C., 505.
- Pinheiro, J.C.N.,** see Sandroni, S.S., 36.
- Pinzariu, S.,** see Paré, J.-J., 75.
- Piteau, D.R.,** see Martin, D.C., 505.

- Poitevin, J., see Singh, B., 223.
- Quigley, R.M., see Crooks, V.E., 349.
- Rabbah, S.A.A., see Selvadurai, A.P.S., 385.
- Rahardjo, H., and Fredlund, D.G. General limit equilibrium method for lateral earth force, 166.
- Raymond, G.P. Research on geotextiles for heavy haul railways, 259.
- Raymond, G.P., see Graham, J., 384.
- Raymond, G.P., see McDonald, L.M., 456.
- Reades, D.W., see Matyas, E.L., 489.
- Reardon, E.J., see Gale, J.E., 8.
- Robertson, P.K., see Campanella, R.G., 551.
- Robin, M.J.L., see Gillham, R.W., 541.
- Romeril, P.M., see Mitchell, R.J., 176.
- Rowe, R.K., MacLean, M.D., and Barsvary, A.K. The observed behaviour of a geotextile-reinforced embankment constructed on peat, 289.
- Rowe, R.K., MacLean, M.D., and Soderman, K.L. Analysis of a geotextile-reinforced embankment constructed on peat, 563.
- Sällfors, G.B., and Larsson, R. Yield states and stress-strain relationships in a natural plastic clay: Discussion, 597.
- Sandroni, S.S., Silva, J.M.J., and Pinheiro, J.C.N. Site investigations for unretained excavations in a soft peaty deposit, 36.
- Savigny, K.W., see Harris, M.C., 196.
- Selvadurai, A.P.S., and Rabbah, S.A.A. Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum: Reply, 385.
- Sengupta, S., see Sharma, H.D., 684.
- Seymour, P.H., see Laba, J.T., 407.
- Sharma, H.D., Sengupta, S., and Harron, G. Cast-in-place bored piles on soft rock under artesian pressures, 684.
- Shenouda, W.K., Hassouna, M.E., and Hawson, H. Egypt's Aswan High Dam: Dinner address presented on December 17, 1956: Discussion, 735.
- Shields, D.H., Domaschuk, L., Corkal, D.W., and McCutcheon, J.R. Controlling sand placement during the building of artificial islands, 371.
- Silva, J.M.J., see Sandroni, S.S., 36.
- Silvestri, V. Preconsolidation pressure of Champlain clays. Part II. Laboratory determination: Discussion, 600.
- Silvestri, V. Laboratory and field determination of preconsolidation pressures at Gloucester: Discussion, 602.
- Singh, B., Taillefer, R., et Poitevin, J. Les échanges radiatifs et énergétiques et le bilan thermique du sol en Jamésie, 223.
- Smith, A., see Caldwell, J.A., 379.
- Soares, M.M., see Charles, J.A., 397.
- Sobkowicz, J.C., and Morgenstern, N.R. The undrained equilibrium behaviour of gassy sediments, 439.
- Soderman, K.L., see Rowe, R.K., 563.
- Solymar, Z.V. Compaction of alluvial sands by deep blasting, 305.
- Taillefer, R., see Singh, B., 223.
- Talesnick, M., and Baker, R. Comparison of observed and calculated slip surface in slope stability calculations, 713.
- Tavenas, F., Jean, P., Leblond, P., and Leroueil, S. The permeability of natural soft clays. Part II: Permeability characteristics: Reply, 731.
- Teller, J.T., see Graham, J., 733.
- Verma, N.S., see Paré, J.-J., 75.
- Verma, N.S., see Paré, J.J., 213.
- Wagner, J., see Caldwell, J.A., 379.
- Welch, D.E., see Matyas, E.L., 489.
- Wu, T.H. Soil movements on permafrost slopes near Fairbanks, Alaska, 699.
- Yalcin, A.S., see Meyerhof, G.G., 389.
- Yan, H.T. Geotechnical sampling in deep water using a tensioned conductor pipe-casing and weighted footblock, 92.
- Yong, R.N., and Elmonayri, D. On the stability and settling of suspended solids in settling ponds. Part II. Diffusion analysis of initial settling of suspended solids, 644.
- Zebarth, B.J., Lee, D., and Kay, B.D. Impact resistance of three soils under varying moisture and subzero temperature conditions, 449.

VOLUME 21, 1984

Subject Index / Index des matières¹

A. General

02. *Historical Aspects*

Egypt's Aswan High Dam: Dinner address presented on December 17, 1956: Discussion. Shenouda, W.K., Hassouna, M.E., and Hawson, H., 735.

04. *Textbooks, Handbooks, and Periodicals*

The Roger J. E. Brown memorial volume—Proceedings of the Fourth Canadian Permafrost Conference. Chagnon, J.Y., 198.

Soil survey for engineering. Legget, R.F., 199.

Engineering geology of southern Africa. Volume II (Rocks of 2,000 to 700 million years in age). Legget, R.F., 200.

Landslides and their stabilization. Cruden, D.M., 387.

B. Geological and Environmental Aspects

00. *General*

Engineering geology of southern Africa. Volume II (Rocks of 2,000 to 300 million years in age). Legget, R.F., 200.

02. *Hydrogeological Aspects*

Impact of groundwater on mining and underground space development in the Niagara Escarpment area. Nadon, R.L., and Gale, J.E., 60.

Geochemical reactions associated with low-temperature thermal energy storage in aquifers. Palmer, C.D., and Cherry, J.A., 475.

05. *Climatic Conditions*

Temporal changes of groundwater pressure in a natural slope of nonfissured clay. Kenney, T.C., and Lau, K.C., 138.

Les échanges radiatifs et énergétiques et le bilan thermique du sol en Jamésie. Singh, B., Taillefer, R., et Poitevin, J., 223.

Quantitative analysis of debris torrent hazards for design of remedial measures. Hungr, O., Morgan, G.C., and Kellerhals, R., 663.

06. *Submarine Geological Aspects*

Creep and strength testing of frozen saline fine-grained soils. Nixon, J.F., and Lem, G., 518.

09. *Geomorphologic Aspects and Terrain Classification*

Quantitative analysis of debris torrent hazards for design of remedial measures. Hungr, O., Morgan, G.C., and Kellerhals, R., 663.

10. *Mineralogical Aspects*

Expansive—shrinkable soils in China. Hou, S., 375.

Heave of coal shale fill. Caldwell, J.A., Smith, A., and Wagner, J., 379.

Mineralogy, chemistry, and physical properties interrelationships of some sensitive clays from Eastern Canada. Locat, J., Lefebvre, G., and Ballivy, G., 530.

The Canadian program for sealing underground nuclear fuel waste vaults. Lopez, R.S., Cheung, S.C.H., and Dixon, D.A., 593.

11. *Description of Regional Soil and Rock Conditions*

Impact of groundwater on mining and underground space development in the Niagara Escarpment area. Nadon, R.L., and Gale, J.E., 60.

¹Based on the International Geotechnical Classification System (IGC) as revised in 1981.

- The Roger J. E. Brown memorial volume—Proceedings of the Fourth Canadian Permafrost Conference. Chagnon, J.Y., 198.
- Engineering geology of southern Africa. Volume II (Rocks of 2,000 to 300 million years in age). Legget, R.F., 200.
- Expansive—shrinkable soils in China. Hou, S., 375.
- Leda clay from deep boreholes at Hawkesbury, Ontario. Part I: Geology and geotechnique: Discussion. Graham, J., and Teller, J.T., 733.

12. Other Environmental Aspects

- Geochemical reactions associated with low-temperature thermal energy storage in aquifers. Palmer, C.D., and Cherry, J.A., 475.
- Remedial measures for debris flows at the Agassiz Mountain Institution, British Columbia. Martin, D.C., Piteau, D.R., Pearce, R.A., and Hawley, P.M., 505.
- The Canadian program for sealing underground nuclear fuel waste vaults. Lopez, R.S., Cheung, S.C.H., and Dixon, D.A., 593.

C. Site Investigations

00. General

- Soil survey for engineering. Legget, R.F., 199.

02. Geophysical Surveys

- Piezometer—friction cone investigation at a tailings dam. Campanella, R.G., Robertson, P.K., Gillespie, D., and Kohn, E.J., 551.

05. Boring Techniques and Equipment (cf. C 10)

- Geotechnical sampling in deep water using a tensioned conductor pipe-casing and weighted footblock. Yan, H.T., 92.
- Laboratory testing and *in situ* behaviour of peat as embankment foundation. Lefebvre, G., Langlois, P., Lupien, C., and Lavallée, J.-G., 322.
- Laboratory testing and *in situ* behaviour of peat as embankment foundation: Discussion. Andersland, O.B., and Al-Khafaji, A.W.N., 748.

06. Sampling

- Geotechnical sampling in deep water using a tensioned conductor pipe-casing and weighted footblock. Yan, H.T., 92.

07. Measurement of Field Conditions (incl. Post-Construction Monitoring)

- Temporal changes of groundwater pressure in a natural slope of nonfissured clay. Kenney, T.C., and Lau, K.C., 138.
- Horizontal drains to stabilize clay slopes. Lau, K.C., and Kenney, T.C., 241.
- Research on geotextiles for heavy haul railways. Raymond, G.P., 259.
- The observed behaviour of a geotextile-reinforced embankment constructed on peat. Rowe, R.K., MacLean, M.D., and Barsvary, A.K., 289.
- Compaction of alluvial sands by deep blasting. Solymar, Z.V., 305.
- Saline leachate migration through clay: a comparative laboratory and field investigation. Crooks, V.E., and Quigley, R.M., 349.
- Heave of coal shale fill. Caldwell, J.A., Smith, A., and Wagner, J., 379.
- Piezometer—friction cone investigation at a tailings dam. Campanella, R.G., Robertson, P.K., Gillespie, D., and Kohn, E.J., 551.
- Preconsolidation pressure of Champlain clays. Part II. Laboratory determination: Discussion. Silvestri, V., 600.
- Laboratory and field determination of preconsolidation pressures at Gloucester: Discussion. Silvestri, V., 602.
- Quantitative analysis of debris torrent hazards for design of remedial measures. Hungr, O., Morgan, G.C., and Kellerhals, R., 663.
- Soil movements on permafrost slopes near Fairbanks, Alaska. Wu, T.H., 699.
- Leda clay from deep boreholes at Hawkesbury, Ontario. Part I: Geology and geotechnique: Discussion. Graham, J., and Teller, J.T., 733.

08. Field Testing (Excl. tests for engineering properties, see Groups D and F)

- Site investigations for unretained excavations in a soft peaty deposit. Sandroni, S.S., Silva, J.M.J., and Pinheiro, J.C.N., 36.
- Piezometer—friction cone investigation at a tailings dam. Campanella, R.G., Robertson, P.K., Gillespie, D., and Kohn, E.J., 551.

10. Underwater Site Investigations

- Geotechnical sampling in deep water using a tensioned conductor pipe-casing and weighted footblock. Yan, H.T., 92.

D. Soil Properties: Laboratory and *In-Situ* Determinations

01. Classification and Description of Soils

- Yield states and stress – strain relationships in a natural plastic clay: Discussion. Sällfors, G.B., and Larsson, R., 597.
 Yield states and stress – strain relationships in a natural plastic clay: Reply. Graham, J., Noonan, M.L., and Lew, K.V., 598.
 Filter testing of broadly graded cohesionless tills. Lafleur, J., 634.
 Permeability of compacted granular materials. Kenney, T.C., Lau, D., and Ofoegbu, G.I., 726.

02. Physico-Chemical Properties

- Laboratory test results on self-hardening grouts for flexible cutoffs. Chapuis, R.P., Paré, J.-J., and Loisel, A.A., 185.
 Saline leachate migration through clay: a comparative laboratory and field investigation. Crooks, V.E., and Quigley, R.M., 349.
 Controlling sand placement during the building of artificial islands. Shields, D.H., Domaschuk, L., Corkal, D.W., and McCutcheon, J.R., 371.
 Heave of coal shale fill. Caldwell, J.A., Smith, A., and Wagner, J., 379.
 Mineralogy, chemistry, and physical properties interrelationships of some sensitive clays from Eastern Canada. Locat, J., Lefebvre, G., and Ballivy, G., 530.
 Diffusion of nonreactive and reactive solutes through fine-grained barrier materials. Gillham, R.W., Robin, M.J.L., Dytynshyn, D.J., and Johnston, H.M., 541.
 On the stability and settling of suspended solids in settling ponds. Part II. Diffusion analysis of initial settling of suspended solids. Yong, R.N., and Elmonayri, D., 644.
 Leda clay from deep boreholes at Hawkesbury, Ontario. Part I: Geology and geotechnique: Discussion. Graham, J., and Teller, J.T., 733.

03. Composition, Structure, Density, and Water Contents

- Study of the structure of a sensitive Champlain clay and of its evolution during consolidation. Delage, P., and Lefebvre, G., 21.
 Effect of air-drying and critical point drying on the porosity of clay soils. De Kimpe, C.R., 181.
 Expansive – shrinkable soils in China. Hou, S., 375.
 The undrained equilibrium behaviour of gassy sediments. Sobkiewicz, J.C., and Morgenstern, N.R., 439.
 Creep and strength testing of frozen saline fine-grained soils. Nixon, J.F., and Lem, G., 518.
 Diffusion of nonreactive and reactive solutes through fine-grained barrier materials. Gillham, R.W., Robin, M.J.L., Dytynshyn, D.J., and Johnston, H.M., 541.
 Permeability of compacted granular materials. Kenney, T.C., Lau, D., and Ofoegbu, G.I., 726.
 The permeability of natural soft clays. Part II: Permeability characteristics: Discussion. Juárez-Badillo, E., 730.
 The permeability of natural soft clays. Part II: Permeability characteristics: Reply. Tavenas, F., Jean, P., Leblond, P., and Leroueil, S., 731.

04. Hydraulic Properties

- Seepage through till foundations of dams of the Eastmain – Opinaca – La Grande diversion. Paré, J.-J., Verma, N.S., Loisel, A.A., and Pinzari, S., 75.
 Geotechnical parameters and behaviour of uranium tailings. Matyas, E.L., Welch, D.E., and Reades, D.W., 489.
 Diffusion of nonreactive and reactive solutes through fine-grained barrier materials. Gillham, R.W., Robin, M.J.L., Dytynshyn, D.J., and Johnston, H.M., 541.
 Filter testing of broadly graded cohesionless tills. Lafleur, J., 634.
 Permeability of compacted granular materials. Kenney, T.C., Lau, D., and Ofoegbu, G.I., 726.
 The permeability of natural soft clays. Part II: Permeability characteristics: Discussion. Juárez-Badillo, E., 730.
 The permeability of natural soft clays. Part II: Permeability characteristics: Reply. Tavenas, F., Jean, P., Leblond, P., and Leroueil, S., 731.

05. Compressibility and Swelling

- Study of the structure of a sensitive Champlain clay and of its evolution during consolidation. Delage, P., and Lefebvre, G., 21.
 Deficient pore pressures in an eroding soil mass. Koppula, S.D., and Morgenstern, N.R., 277.
 The observed behaviour of a geotextile-reinforced embankment constructed on peat. Rowe, R.K., MacLean, M.D., and Barsvary, A.K., 289.
 Laboratory testing and *in situ* behaviour of peat as embankment foundation. Lefebvre, G., Langlois, P., Lupien, C., and Lavallée, J.-G., 322.
 Expansive – shrinkable soils in China. Hou, S., 375.
 Heave of coal shale fill. Caldwell, J.A., Smith, A., and Wagner, J., 379.
 The undrained equilibrium behaviour of gassy sediments. Sobkiewicz, J.C., and Morgenstern, N.R., 439.
 Preconsolidation pressure of Champlain clays. Part II. Laboratory determination: Discussion. Silvestri, V., 600.

- Laboratory and field determination of preconsolidation pressures at Gloucester: Discussion. Silvestri, V., 602.
- On the stability and settling of suspended solids in settling ponds. Part II: Diffusion analysis of initial settling of suspended solids. Yong, R.N., and Elmonayeri, D., 644.
- The permeability of natural soft clays. Part II: Permeability characteristics: Discussion. Juárez-Badillo, E., 730.
- The permeability of natural soft clays. Part II: Permeability characteristics: Reply. Tavenas, F., Jean, P., Leblond, P., and Leroueil, S., 731.
- Laboratory testing and *in situ* behaviour of peat as embankment foundation: Discussion. Andersland, O.B., and Al-Khafaji, A.W.N., 748.
- 06. Shear-Deformation and Strength Properties**
- Nonuniformities imposed by simple shear apparatus. Budhu, M., 125.
- Acoustic emission distress monitoring in sensitive clay. Mitchell, R.J., and Romeril, P.M., 176.
- Stress-deformation predictions for the LG 4 main dam. Paré, J.J., Verma, N.S., Keira, H.M.S., and McConnell, A.D., 213.
- The observed behaviour of a geotextile-reinforced embankment constructed on peat. Rowe, R.K., MacLean, M.D., and Barsvary, A.K., 289.
- The stability of slopes in soils with nonlinear failure envelopes. Charles, J.A., and Soares, M.M., 397.
- Impact resistance of three soils under varying moisture and subzero temperature conditions. Zebbarh, B.J., Lee, D., and Kay, B.D., 449.
- Repetitive load testing: reversal or rotation. McDonald, L.M., and Raymond, G.P., 456.
- Geotechnical parameters and behaviour of uranium tailings. Matyas, E.L., Welch, D.E., and Reades, D.W., 489.
- Creep and strength testing of frozen saline fine-grained soils. Nixon, J.F., and Lem, G., 518.
- Piezometer-friction cone investigation at a tailings dam. Campanella, R.G., Robertson, P.K., Gillespie, D., and Klohn, E.J., 551.
- On stability of slopes in clays with linearly increasing strength. Koppula, S.D., 577.
- Yield states and stress-strain relationships in a natural plastic clay: Discussion. Sällfors, G.B., and Larsson, R., 597.
- Yield states and stress-strain relationships in a natural plastic clay: Reply. Graham, J., Noonan, M.L., and Lew, K.V., 598.
- The Cathedral Square substation anchored excavation, Vancouver, British Columbia. Garga, V.K., Carey, E.I., and Milne, R.W., 621.
- Cast-in-place bored piles on soft rock under artesian pressures. Sharma, H.D., Sengupta, S., and Harron, G., 684.
- Soil movements on permafrost slopes near Fairbanks, Alaska. Wu, T.H., 699.
- Leda clay from deep boreholes at Hawkesbury, Ontario. Part I: Geology and geotechnique: Discussion. Graham, J., and Teller, J.T., 733.
- 07. Dynamic Properties**
- Impact resistance of three soils under varying moisture and subzero temperature conditions. Zebbarh, B.J., Lee, D., and Kay, B.D., 449.
- Geotechnical parameters and behaviour of uranium tailings. Matyas, E.L., Welch, D.E., and Reades, D.W., 489.
- 08. Thermal Properties**
- Frost heave prediction of chilled pipelines buried in unfrozen soils. Konrad, J.-M., and Morgenstern, N.R., 100.
- Geochemical reactions associated with low-temperature thermal energy storage in aquifers. Palmer, C.D., and Cherry, J.A., 475.
- Creep and strength testing of frozen saline fine-grained soils. Nixon, J.F., and Lem, G., 518.
- Soil movements on permafrost slopes near Fairbanks, Alaska. Wu, T.H., 699.
- 09. Compactibility**
- Geotechnical parameters and behaviour of uranium tailings. Matyas, E.L., Welch, D.E., and Reades, D.W., 489.
- Filter testing of broadly graded cohesionless tills. Lafleur, J., 634.
- 10. Properties of Soil-Additive Mixtures**
- Laboratory test results on self-hardening grouts for flexible cutoffs. Chapuis, R.P., Paré, J.-J., and Loisel, A.A., 185.

E. Analysis of Soil-Engineering Problems

01. Stress Analysis

- Analysis of a geotextile-reinforced embankment constructed on peat. Rowe, R.K., MacLean, M.D., and Soderman, K.L., 563.
- A chart for estimating the average vertical stress increase in an elastic foundation below a uniformly loaded rectangular area. Griffiths, D.V., 710.

02. Deformation and Settlement Problems

- Site investigations for unretained excavations in a soft peaty deposit. Sandroni, S.S., Silva, J.M.J., and Pinheiro, J.C.N., 36.
- Deficient pore pressures in an eroding soil mass. Koppula, S.D., and Morgenstern, N.R., 277.
- Laboratory testing and *in situ* behaviour of peat as embankment foundation. Lefebvre, G., Langlois, P., Lupien, C., and Lavallée, J.-G., 322.
- Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum: Discussion. Graham, J., and Raymond, G.P., 384.
- Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum: Reply. Selvadurai, A.P.S., and Rabbaa, S.A.A., 385.
- Analysis of a geotextile-reinforced embankment constructed on peat. Rowe, R.K., MacLean, M.D., and Soderman, K.L., 563.
- Preconsolidation pressure of Champlain clays. Part II. Laboratory determination: Discussion. Silvestri, V., 600.
- Laboratory and field determination of preconsolidation pressures at Gloucester: Discussion. Silvestri, V., 602.
- Laboratory testing and *in situ* behaviour of peat as embankment foundation: Discussion. Andersland, O.B., and Al-Khafaji, A.W.N., 748.

03. Bearing Capacity of Shallow Foundations

- Safety factors and limit states analysis in geotechnical engineering. Meyerhof, G.G., 1.
- Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum: Discussion. Graham, J., and Raymond, G.P., 384.
- Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum: Reply. Selvadurai, A.P.S., and Rabbaa, S.A.A., 385.
- A chart for estimating the average vertical stress increase in an elastic foundation below a uniformly loaded rectangular area. Griffiths, D.V., 710.

04. Bearing Capacity of Piles and Other Deep Foundations

- Safety factors and limit states analysis in geotechnical engineering. Meyerhof, G.G., 1.
- Pile capacity for eccentric inclined load in clay. Meyerhof, G.G., and Yalcin, A.S., 389.
- Laterally loaded piles in permafrost. Nixon, J.F., 431.
- Pile group elastic load response prediction: friction piles embedded in cohesive soils. Douglas, R.A., and Butterfield, R., 587.
- Deep foundation design in the new Ontario Highway Bridge Design Code: Reply. Fellenius, B.H., and Meyerhof, G.G., 599.
- Response of piles and casings to horizontal free-field soil displacements. Byrne, P.M., Anderson, D.L., and Janzen, W., 720.

05. Earth Pressure Problems

- Safety factors and limit states analysis in geotechnical engineering. Meyerhof, G.G., 1.
- General limit equilibrium method for lateral earth force. Rahardjo, H., and Fredlund, D.G., 166.
- Comparison of snow pressure measurements and theoretical predictions. McClung, D.M., Larsen, J.O., and Hansen, S.B., 250.
- On the stability of supported excavations. Britto, A.M., and Kusakabe, O., 338.
- Reinforced earth retaining wall under vertical and horizontal strip loading. Laba, J.T., Kennedy, J.B., and Seymour, P.H., 407.
- Response of piles and casings to horizontal free-field soil displacements. Byrne, P.M., Anderson, D.L., and Janzen, W., 720.

06. Stability of Slopes and Excavations

- Site investigations for unretained excavations in a soft peaty deposit. Sandroni, S.S., Silva, J.M.J., and Pinheiro, J.C.N., 36.
- Hydraulic stabilization of earth structures. Mitchell, R.J., Madsen, J.D., and Crawford, T.W., 116.
- Temporal changes of groundwater pressure in a natural slope of nonfissured clay. Kenney, T.C., and Lau, K.C., 138.
- New stability method for embankments on clay foundations: Discussion. Mesri, G., 194.
- New stability method for embankments on clay foundations: Reply. Chapuis, R.P., 195.
- Stress-deformation predictions for the LG 4 main dam. Paré, J.J., Verma, N.S., Keira, H.M.S., and McConnell, A.D., 213.
- Horizontal drains to stabilize clay slopes. Lau, K.C., and Kenney, T.C., 241.
- On the stability of supported excavations. Britto, A.M., and Kusakabe, O., 338.
- An influence line approach to the stabilization of slopes by cuts and fills. Hutchinson, J.N., 363.
- Landslides and their stabilization. Cruden, D.M., 387.
- The stability of slopes in soils with nonlinear failure envelopes. Charles, J.A., and Soares, M.M., 397.
- Remedial measures for debris flows at the Agassiz Mountain Institution, British Columbia. Martin, D.C., Piteau, D.R., Pearce, R.A., and Hawley, P.M., 505.
- On stability of slopes in clays with linearly increasing strength. Koppula, S.D., 577.
- An analytical solution to the problem of seepage into counterfort drains. Bromhead, E.N., 657.
- Quantitative analysis of debris torrent hazards for design of remedial measures. Hungr, O., Morgan, G.C., and Kellerhals, R., 663.
- Soil movements on permafrost slopes near Fairbanks, Alaska. Wu, T.H., 699.
- Comparison of observed and calculated slip surface in slope stability calculations. Talesnick, M., and Baker, R., 713.

07. Seepage and other Hydraulic Problems

Seepage through till foundations of dams of the Eastmain - Opinaca - La Grande diversion. Paré, J.-J., Verma, N.S., Loiselle, A.A., and Pinzariu, S., 75.

Hydraulic stabilization of earth structures. Mitchell, R.J., Madsen, J.D., and Crawford, T.W., 116.

Stress-deformation predictions for the LG 4 main dam. Paré, J.J., Verma, N.S., Keira, H.M.S., and McConnell, A.D., 213.

Horizontal drains to stabilize clay slopes. Lau, K.C., and Kenney, T.C., 241.

Saline leachate migration through clay: a comparative laboratory and field investigation. Crooks, V.E., and Quigley, R.M., 349.

A steady state model for flow in saturated - unsaturated soils. Papagianakis, A.T., and Fredlund, D.G., 419.

Geochemical reactions associated with low-temperature thermal energy storage in aquifers. Palmer, C.D., and Cherry, J.A., 475.

An analytical solution to the problem of seepage into counterfort drains. Bromhead, E.N., 657.

09. Frost Action and Heat-Transfer Problems

Frost heave prediction of chilled pipelines buried in unfrozen soils. Konrad, J.-M., and Morgenstern, N.R., 100.

Les échanges radiatifs et énergétiques et le bilan thermique du sol en Jamésie. Singh, B., Taillefer, R., et Poitevin, J., 223.

10. Analysis of Layered Systems and Pavements Behaviour

The observed behaviour of a geotextile-reinforced embankment constructed on peat. Rowe, R.K., MacLean, M.D., and Barsvary, A.K., 289.

12. Soil-Structure Interaction

On the stability of supported excavations. Britto, A.M., and Kusakabe, O., 338.

Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum:

Discussion. Graham, J., and Raymond, G.P., 384.

Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum:

Reply. Selvadurai, A.P.S., and Rabbaa, S.A.A., 385.

Reinforced earth retaining wall under vertical and horizontal strip loading. Laba, J.T., Kennedy, J.B., and Seymour, P.H., 407.

13. Mathematical Methods. Computer Analysis

General limit equilibrium method for lateral earth force. Rahardjo, H., and Fredlund, D.G., 166.

Deficient pore pressures in an eroding soil mass. Koppula, S.D., and Morgenstern, N.R., 277.

A steady state model for flow in saturated - unsaturated soils. Papagianakis, A.T., and Fredlund, D.G., 419.

Analysis of a geotextile-reinforced embankment constructed on peat. Rowe, R.K., MacLean, M.D., and Soderman, K.L., 563.

On stability of slopes in clays with linearly increasing strength. Koppula, S.D., 577.

On the stability and settling of suspended solids in settling ponds. Part II. Diffusion analysis of initial settling of suspended solids. Yong, R.N., and Elmonayeri, D., 644.

Comparison of observed and calculated slip surface in slope stability calculations. Talesnick, M., and Baker, R., 713.

14. Model Test Analysis

On the stability of supported excavations. Britto, A.M., and Kusakabe, O., 338.

Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum:

Discussion. Graham, J., and Raymond, G.P., 384.

Some experimental studies concerning the contact stresses beneath interfering rigid strip foundations resting on a granular stratum:

Reply. Selvadurai, A.P.S., and Rabbaa, S.A.A., 385.

Pile capacity for eccentric inclined load in clay. Meyerhof, G.G., and Yalcin, A.S., 389.

Reinforced earth retaining wall under vertical and horizontal strip loading. Laba, J.T., Kennedy, J.B., and Seymour, P.H., 407.

Pile group elastic load response prediction: friction piles embedded in cohesive soils. Douglas, R.A., and Butterfield, R., 587.

On the stability and settling of suspended solids in settling ponds. Part II. Diffusion analysis of initial settling of suspended solids. Yong, R.N., and Elmonayeri, D., 644.

F. Rock Properties: Laboratory and In-Situ Determinations**02. Physico-Chemical Properties**

Effects of groundwater chemistry on the permeability of grouted fractures. Gale, J.E., and Reardon, E.J., 8.

03. Composition, Density, and Structural Features

Effects of groundwater chemistry on the permeability of grouted fractures. Gale, J.E., and Reardon, E.J., 8.

Predicted and measured stresses and displacements around the Darlington Intake Tunnel. Lo, K.Y., and Lukajic, B., 147.

04. Hydraulic Properties

Effects of groundwater chemistry on the permeability of grouted fractures. Gale, J.E., and Reardon, E.J., 8.

Impact of groundwater on mining and underground space development in the Niagara Escarpment area. Nadon, R.L., and Gale, J.E., 60.

06. *Shear-Deformation and Strength Properties*

Elastic and pseudoviscous properties of coal under quasi-static and impact loadings. Klepaczko, J.R., Hsu, T.R., and Bassim, M.N., 203.

Analysis of a rock slope with internal dilation. Martin, C.D., and Kaiser, P.K., 605.

G. Analysis of Rock-Engineering Problems

01. *Stress Analysis*

Predicted and measured stresses and displacements around the Darlington Intake Tunnel. Lo, K.Y., and Lukajic, B., 147.

03. *Bearing Capacity of Rock Masses*

Cast-in-place bored piles on soft rock under artesian pressures. Sharma, H.D., Sengupta, S., and Harron, G., 684.

05. *Rock Pressure on Tunnels and Underground Openings*

Predicted and measured stresses and displacements around the Darlington Intake Tunnel. Lo, K.Y., and Lukajic, B., 147.

06. *Stability of Rock Slopes and Open Excavations*

Analysis of a rock slope with internal dilation. Martin, C.D., and Kaiser, P.K., 605.

More rapid analysis of rock slopes. Cruden, D.M., 678.

07. *Seepage and other Hydraulic Problems*

Impact of groundwater on mining and underground space development in the Niagara Escarpment area. Nadon, R.L., and Gale, J.E., 60.

12. *Rock-Structure-Interaction*

Cast-in-place bored piles on soft rock under artesian pressures. Sharma, H.D., Sengupta, S., and Harron, G., 684.

13. *Mathematical Methods, Computer Analysis*

More rapid analysis of rock slopes. Cruden, D.M., 678.

H. Design, Construction, and Behaviour of Engineering Works

00. *General*

The Canadian program for sealing underground nuclear fuel waste vaults. Lopez, R.S., Cheung, S.C.H., and Dixon, D.A., 593.

01. *Foundations of Structures (other than dams)*

Laterally loaded piles in permafrost. Nixon, J.F., 431.

Pile group elastic load response prediction: friction piles embedded in cohesive soils. Douglas, R.A., and Butterfield, R., 587.

Deep foundation design in the new Ontario Highway Bridge Design Code: Reply. Fellenius, B.H., and Meyerhof, G.G., 599.

02. *Retaining Structures and Cut-off Walls*

Reinforced earth retaining wall under vertical and horizontal strip loading. Laba, J.T., Kennedy, J.B., and Seymour, P.H., 407.

Unconventional concepts for dykes and dams on soft clay foundation. Eide, O., Lacasse, S., Kjærnsli, B., and Hafskjold, P.S., 581.

04. *Dams and Reservoirs*

Seepage through till foundations of dams of the Eastmain - Opinaca - La Grande diversion. Paré, J.-J., Verma, N.S., Loiselle, A.A., and Pinzariu, S., 75.

Stress-deformation predictions for the LG 4 main dam. Paré, J.J., Verma, N.S., Keira, H.M.S., and McConnell, A.D., 213.

Compaction of alluvial sands by deep blasting. Solymar, Z.V., 305.

Geotechnical parameters and behaviour of uranium tailings. Matyas, E.L., Welch, D.E., and Reades, D.W., 489.

Unconventional concepts for dykes and dams on soft clay foundation. Eide, O., Lacasse, S., Kjærnsli, B., and Hafskjold, P.S., 581.

Filter testing of broadly graded cohesionless tills. Lafleur, J., 634.

Egypt's Aswan High Dam: Dinner address presented on December 17, 1956: Discussion. Shenouda, W.K., Hassouna, M.E., and Hawson, H., 735.

05. Tunnels and Underground Openings

- Predicted and measured stresses and displacements around the Darlington Intake Tunnel. Lo, K.Y., and Lukajic, B., 147.
 The Canadian program for sealing underground nuclear fuel waste vaults. Lopez, R.S., Cheung, S.C.H., and Dixon, D.A., 593.
 The Cathedral Square substation anchored excavation, Vancouver, British Columbia. Garga, V.K., Carey, E.I., and Milne, R.W., 621.

06. Roads, Railroads and Airfields

- Research on geotextiles for heavy haul railways. Raymond, G.P., 259.
 The observed behaviour of a geotextile-reinforced embankment constructed on peat. Rowe, R.K., MacLean, M.D., and Barsvary, A.K., 289.
 Preconsolidation pressure of Champlain clays. Part II. Laboratory determination: Discussion. Silvestri, V., 600.

08. Conduits and Culverts

- Frost heave prediction of chilled pipelines buried in unfrozen soils. Konrad, J.-M., and Morgenstern, N.R., 100.
 Geotechnical aspects of pipeline construction in Alberta: Discussion. Harris, M.C., and Savigny, K.W., 196.
 Geotechnical aspects of pipeline construction in Alberta: Discussion. Couperthwaite, S.L., 732.

09. Slopes and Unsupported Excavations

- Geotechnical aspects of pipeline construction in Alberta: Discussion. Harris, M.C., and Savigny, K.W., 196.
 Horizontal drains to stabilize clay slopes. Lau, K.C., and Kenney, T.C., 241.
 An influence line approach to the stabilization of slopes by cuts and fills. Hutchinson, J.N., 363.
 Remedial measures for debris flows at the Agassiz Mountain Institution, British Columbia. Martin, D.C., Piteau, D.R., Pearce, R.A., and Hawley, P.M., 505.
 Geotechnical aspects of pipeline construction in Alberta: Discussion. Couperthwaite, S.L., 732.

K. Construction Methods and Equipment**01. Drainage Methods**

- The Cathedral Square substation anchored excavation, Vancouver, British Columbia. Garga, V.K., Carey, E.I., and Milne, R.W., 621.
 Geotechnical aspects of pipeline construction in Alberta: Discussion. Couperthwaite, S.L., 732.

05. Compaction Processes

- Compaction of alluvial sands by deep blasting. Solymar, Z.V., 305.

06. Soil Stabilization and Erosion Control

- Remedial measures for debris flows at the Agassiz Mountain Institution, British Columbia. Martin, D.C., Piteau, D.R., Pearce, R.A., and Hawley, P.M., 505.

07. Piles and Pile Driving, incl. Sheet Piles

- Cast-in-place bored piles on soft rock under artesian pressures. Sharma, H.D., Sengupta, S., and Harron, G., 684.

10. Slurry-Assisted Construction of Foundations and Cut-off Walls

- On the stability of supported excavations. Britto, A.M., and Kusakabe, O., 338.

11. Support of Soil and Rock

- The Cathedral Square substation anchored excavation, Vancouver, British Columbia. Garga, V.K., Carey, E.I., and Milne, R.W., 621.

12. Offshore Construction

- Controlling sand placement during the building of artificial islands. Shields, D.H., Domaschuk, L., Corkal, D.W., and McCutcheon, J.R., 371.

14. Measures for Improving Deformation and Stability Conditions. Reconstruction of Foundations

- Research on geotextiles for heavy haul railways. Raymond, G.P., 259.
 Geotechnical aspects of pipeline construction in Alberta: Discussion. Couperthwaite, S.L., 732.

M. Materials of Construction**04. Plastics and Similar Materials**

- Research on geotextiles for heavy haul railways. Raymond, G.P., 259.

The observed behaviour of a geotextile-reinforced embankment constructed on peat. Rowe, R.K., MacLean, M.D., and Barsvary, A.K., 289.

Analysis of a geotextile-reinforced embankment constructed on peat. Rowe, R.K., MacLean, M.D., and Soderman, K.L., 563.

S. Snow and Ice Mechanics and Engineering

01. *Snow and Ice Cover*

Les échanges radiatifs et énergétiques et le bilan thermique du sol en Jamésie. Singh, B., Taillefer, R., et Poitevin, J., 223.

02. *Properties of Snow and Ice*

Empirical corrections to snow creep pressure equations. McClung, D.M., 191.

Impact resistance of three soils under varying moisture and subzero temperature conditions. Zecharth, B.J., Lee, D., and Kay, B.D., 449.

03. *Snow and Ice Engineering*

The Roger J. E. Brown memorial volume—Proceedings of the Fourth Canadian Permafrost Conference. Chagnon, J.Y., 198.

Comparison of snow pressure measurements and theoretical predictions. McClung, D.M., Larsen, J.O., and Hansen, S.B., 250.

Laterally loaded piles in permafrost. Nixon, J.F., 431.

T. Related Disciplines

02. *Geosciences*

Study of the structure of a sensitive Champlain clay and of its evolution during consolidation. Delage, P., and Lefebvre, G., 21.

Effect of air-drying and critical point drying on the porosity of clay soils. De Kimpe, C.R., 181.

The undrained equilibrium behaviour of gassy sediments. Sobkowicz, J.C., and Morgenstern, N.R., 439.

Geochemical reactions associated with low-temperature thermal energy storage in aquifers. Palmer, C.D., and Cherry, J.A., 475.

Creep and strength testing of frozen saline fine-grained soils. Nixon, J.F., and Lem, G., 518.

10. *Ocean Engineering*

Geotechnical sampling in deep water using a tensioned conductor pipe-casing and weighted footblock. Yan, H.T., 92.

12. *Instrumentation and Measuring Techniques*

Acoustic emission distress monitoring in sensitive clay. Mitchell, R.J., and Romeril, P.M., 176.

14. *Environmental Problems and Nature Conservation*

Comparison of snow pressure measurements and theoretical predictions. McClung, D.M., Larsen, J.O., and Hansen, S.B., 250.

Saline leachate migration through clay: a comparative laboratory and field investigation. Crooks, V.E., and Quigley, R.M., 349.